



Existing Kitchen Equipment Schedule

| SYMBOL | DESCRIPTION | DOM. HOT WATER | DOM. COLD WATER | DOM. WATER SUPPLY BACKFLOW PREVENTER | INDIRECT WASTE | DIRECT WASTE |
|--------|---|----------------|-----------------|--------------------------------------|--------------------|--------------|
| 1 | MOP SINK | YES | YES | NO | NO | YES |
| 2 | WALL MOUNTED HAND WASH SINK | YES | YES | NO | NO | YES |
| 3 | WALL MOUNTED FOOD PREP SINK | YES | YES | NO | YES | NO |
| 4 | 6'-0" X 6'-0" WALK-IN COOLER | -- | -- | -- | -- | -- |
| 5 | 5 GALLON CAPACITY GREASE INTERCEPTOR LOCATED ABOVE SLAB UNDER THREE-BAY SINK | -- | -- | -- | -- | -- |
| 6 | THREE BAY SINK W/ TWO DRAINBOARDS | YES | YES | NO | NO | YES |
| 7 | 6X BURNER GAS RANGE | -- | -- | -- | -- | -- |
| 8 | 36" GAS CHAR BROILER | -- | -- | -- | -- | -- |
| 9 | GAS FRYER | -- | -- | -- | -- | -- |
| 10 | 36" GAS GRIDDLE | -- | -- | -- | -- | -- |
| 11 | 17'-0" TYPE I HOOD W/ MAKE-UP AIR, ANUL FIRE SUPPRESSION SYSTEM, AND LOCAL PULL STATION ACTIVATED ALARM | -- | -- | -- | -- | -- |
| 12 | COUNTERTOP MICROWAVE | -- | -- | -- | -- | -- |
| 13 | 24" REACH IN COOLER | -- | -- | -- | -- | -- |
| 14 | 28" REFRIGERATED SALAD/ SANDWICH PREP TABLE W/ SHELVING ABOVE | -- | -- | -- | -- | -- |
| 15 | 17" REFRIGERATED SALAD/ SANDWICH PREP TABLE W/ SHELVING ABOVE | -- | -- | -- | -- | -- |
| 16 | MEAT SLICER | -- | -- | -- | -- | -- |
| 17 | 12" GLASS DISPLAY COOLER | -- | -- | -- | -- | -- |
| 18 | 48" GLASS DISPLAY COOLER | -- | -- | -- | -- | -- |
| 19 | 80" (3) COMPARTMENT STEAM TABLE W/ GLASS BREZE GUARD | NO | YES | NO | YES EX FLOOR DRAIN | NO |
| 20 | 36" FREEZER CHEST | -- | -- | -- | -- | -- |
| 21 | COUNTERTOP MOUNTED HAND SINK | YES | YES | NO | NO | YES |
| 22 | 66" GLASS DISPLAY COOLER | -- | -- | -- | -- | -- |
| 23 | 67" GLASS DISPLAY COOLER | -- | -- | -- | -- | -- |
| 24 | 66" REACH-IN GLASS DISPLAY BEVERAGE COOLER | -- | -- | -- | -- | -- |
| 25 | 48" REACH-IN GLASS DISPLAY BEVERAGE COOLER | -- | -- | -- | -- | -- |
| 26 | 48" REACH-IN GLASS DISPLAY ICE CREAM FREEZER CHEST | -- | -- | -- | -- | -- |
| 27 | COFFEE STATION | -- | -- | -- | -- | -- |

NOTES:
 1. ALL USED EQUIPMENT SPECIFIED TO REMAIN SHALL BE REQUIRED TO MEET CURRENT NSF STANDARDS AND WILL BE SUBJECT TO FIELD EVALUATION BY THE WESTCHESTER COUNTY DEPARTMENT OF HEALTH. ANY EQUIPMENT DETERMINED TO BE SUBSTANDARD MUST BE REMOVED AND REPLACED WITH APPROVABLE EQUIPMENT.
 2. ALL NEW SHELVING & EXISTING SHELVING TO REMAIN MUST BE NSF APPROVED OR EQUAL TYPE.
 3. EXISTING WATER HEATER LOCATED ABOVE EXISTING BATHROOM CEILING PROPOSED TO REMAIN IS A 45 GALLON CAPACITY, 38,000 BTU, 180°F MAX TEMPERATURE WITH A 42 GPM 80°F RECOVERY RATE MODEL #1428868PX MANUFACTURED BY BRADFORD WHITE CORPORATION.

New Kitchen Equipment Schedule

| SYMBOL | DESCRIPTION | DOM. HOT WATER | DOM. COLD WATER | DOM. WATER SUPPLY BACKFLOW PREVENTER | INDIRECT WASTE | DIRECT WASTE |
|--------|---|----------------|-----------------|--------------------------------------|----------------|--------------|
| 28 | EAGLE GROUP 80" UNDERBAR SINK WITH THREE COMPARTMENTS AND LEFT DRAINBOARD, MODEL NO. 85L-22 (OR EQUAL) | YES | YES | NO | YES | NO |
| 29 | KROHNE UNDERCOUNTER STANDARD BAR SINK MODEL NO. 18-93C (OR EQUAL) | NO | NO | NO | YES | NO |
| 30 | AVANTCO COMMERCIAL HORIZONTAL BEER BOTTLE COOLER, MODEL NO. JBC-85 (OR EQUAL) | -- | -- | -- | -- | -- |
| 31 | BEVERAGE AIR BACK BAR REFRIGERATOR WITH SLIDING GLASS DOORS AND STAINLESS STEEL TOP, MODEL NO. 48" (OR EQUAL) | -- | -- | -- | -- | -- |
| 32 | 66" REACH-IN GLASS DISPLAY BEVERAGE SINK 14" | YES | YES | NO | NO | YES |

1 New Architectural Plan (New Total Proposed 3,600 Gross SF +/-)
 A1.01 Scale: 1/4" = 1'-0"



Joseph G. Thompson Architect, PLLC
 1008 Brown Street, Suite 212, Peekskill, New York 10569 - PH: (914) 839-8155 - FAX: jgthompsonarchitect@gmail.com



IT IS A VIOLATION OF THE LAW FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED ARCHITECT OR ENGINEER, TO ALTER OR MODIFY IN ANY WAY, IF AN ITEM BEARING THE SEAL OF AN ARCHITECT OR ENGINEER IS ALTERED, THE ALTERATION SHALL BE APPROVED BY THE ARCHITECT OR ENGINEER AND THE DATE OF SUCH ALTERATION, AND A SPECIFIC DESCRIPTION OF THE ALTERATION.

FRESH TO GO
 Fresh To Go Gourmet Deli, Inc.
 2141 Crompond Road, New York 10867
 S-B-L-34-5-5-14
 Town of Cortlandt - Westchester County
FOR PLANNING BOARD REVIEW & APPROVAL

Date: August 14, 2020
 Rev:

A1.01